Tavertine
Tile

Tavertine Tile

Formed by natural mineral springs, Travertine tiles exude warmth and authenticity. Their layered texture and earthy palette bring a lived-in sophistication to indoor and outdoor spaces alike. Whether vein-cut for linear movement or cross-cut for subtle variation, Travertine lends enduring character to contemporary and classic design schemes.



Tavertine Tile

Tiles:





Coping / Step Tread

Square Edge



Rebated Square Edge



Cobblestones:



For more downloadables visit our website.

Tavertine Tile







Bullnose

Bevelled

Dropface
(Mitre Cut&Glue)



Corner Dropface
One long and one short edge



Double Dropface
Two long edges



Triple Dropface
Two long and one short edges

For more downloadables visit our website.

Tavertine Tile

Stone type and finish	Available tile sizes
Travertino Argento Cross-cut, honed, unfilled, and tumbled	610 x 406 x 12mm 610 x 406 x 30mm French pattern 12mm French pattern 30mm 610 x 406 x 30 / 50mm Dropface Random crazy paving, raw and old fashioned 20mm
Travertino Classico Cross-cut, honed, unfilled, and tumbled	610 x 406 x 12mm 610 x 406 x 30mm French pattern 12mm French pattern 30mm 610 x 406 x 30 / 50mm Dropface Random crazy paving 20mm 100 x 100 x 30mm Baton
Travertino Sabbia Cross-cut, honed, unfilled, and tumbled	610 x 406 x 12mm 610 x 406 x 30mm 610 x 406 x 30 / 50mm Dropface French pattern 12mm French Pattern Tumbled & Honed 30mm tile 10.00 160 16.0 $79.00 m² $79.00 m²
Travertino Lume Vein-cut, unfilled, and honed	610 x 305 x 12mm 610 x 406 x 12mm 812 x 406 x 12mm

2 Kirkdale Street, Brunswick East Victoria 3057, Australia,
03 9457 7489 ABN: 28 639 735 569

Tavertine Tile

Stone type and finish	Available tile sizes
Travertino Oro Vein-cut, filled, and honed	600 x 400 x 12mm French pattern x 12mm 800 x 400 x 12mm
Travertino Lume Cross-cut, honed, filled, and tumbled	610 x 305 x 12mm 610 x 406 x 12mm 610 x 610 x 12mm French pattern x 12mm 610 x 406 x 12mm 610 x 406 x 20mm French pattern x 20mm 610 x 406 x 20 / 50 mm Dropface 610 x 406 x 30mm Square edge French pattern x 30mm 610 x 406 x 30 / 50mm Dropface 610 x 406 x 30mm Bullnose
Travertino Imperiale Silver Vein-cut, honed, and filled	600 x 400 x 12mm 800 x 400 x 12mm
Travertino Romano Silver Cross-cut, honed, filled, and tumbled	600 x 600 x 15mm 600 x 400 x 20mm French pattern x 20mm 600 x 400 x 30mm French pattern x 30mm 610 x 406 x 30/ 50mm Dropface 600 x 400 x 30mm Bullnose
Travertino Romano Silver Vein-cut, filled, and honed	600 x 300 x 12mm 600 x 400 x 12mm 800 x 400 x 12mm

2 Kirkdale Street, Brunswick East Victoria 3057, Australia,
03 9457 7489 ABN: 28 639 735 569

Tavertine Tile

Stone type and finish	Available tile sizes
Travertino Classico Cross-cut, honed, filled, and tumbled	305 x 75 x 10mm 406 x 406 x 12mm 610 x 406 x 12mm French pattern x 12mm 812 x 406 x 12mm 610 x 610 x 12mm 100 x 100 x 30mm 203 x 100 x 30mm 406 x 203 x 30mm 406 x 406 x 30mm 610 x 406 x 30mm French Patternx30mm 610 x 610 x 30mm 610 x 406 x 30mm 610 x 406x 30/60mm Dropface 1220 x 406 x 30mm Pencil Edge 1220 x 406 x 30mm Bullnose
Travertino Romano Silver Cross-cut, honed, filled, and tumbled	305 x 75 x 12mm 406 x 406 x 12mm 610 x 406 x 12mm French pattern x 12mm 610 x 610 x 12mm 100 x 100 x 30mm Cobble 203 x 100 x 30 Cobble 406 x 406 x 30mm 610 x 406 x 30mm French pattern x 30mm 610 x 610 x 30mm 610 x 406 x 30mm Bullnose 610 x 406 x 30 / 60mm Dropface 1220 x 406 x 30mm Pencil edge 1220 x 406 x 30mm Bullnose
Travertino Lume Cross-cut, honed, filled, and tumbled	305 x 75 x 12mm 610 x 305 x 12mm 610 x 610 x 12mm 914x457x12mm

2 Kirkdale Street, Brunswick East Victoria 3057, Australia,
03 9457 7489 ABN: 28 639 735 569

Tavertine Tile

Stone type and finish	Available tile sizes
Travertino Classico Cross-cut, honed, unfilled, and tumbled	610 x 406 x 12mm 610 x 610 x 12mm 610 x 406 x 30mm 610 x 406 x 20 / 60mm Dropface 610 x 406 x 30 / 60mm Dropface 406 x 406 x 30mm Square edge 610 x 406 x 30mm Square edge
Travertino Oro Cross-cut, honed, unfilled, and tumbled	610 x 406 x 12mm Crazy paving x 20mm 610 x 406 x30mm 610 x 406 x 20 / 60mm Dropface 610 x 406 x 30 / 60mm Dropface 610 x 406 x 30mm French pattern x 12mm

2 Kirkdale Street, Brunswick East Victoria 3057, Australia,
03 9457 7489 ABN: 28 639 735 569

Installation Guidelines

Natural stone

These guidelines are general advice only and should be used with relevant Australian standards. They do not replace professional installation services.

Before installation

- Natural stone tiles may arrive slightly damp or with residue. Wash and let them dry fully slight lightening is normal and reveals natural tones.
- Lay tiles out to view markings and mix from all crates for even colour and pattern.
Minor edge chipping is normal and suitable for cuts.
- Grade tiles by thickness install thicker ones first and bed thinner ones with adhesive for a level finish. Size and thickness variations are part of the stone's character.
- Ensure tiles are clean, dry, and free of dust before laying. Confirm your installer is familiar with the product.

Please note:

Every piece of natural stone is unique. Variations in colour, texture, and surface finish including minor chipping are inherent and add to its individuality. Any tiles with excessive damage or irregularity should be set aside and reviewed before installation, as once installed they may not be covered by warranty.

Adhesion

For a lasting installation, all stone tiles must be solidly bedded with 100% adhesive coverage. During installation, tiles should be lifted occasionally to confirm full compaction and adhesion have been achieved.

We recommend using Mapei or Laticrete products for the installation process both are well-established brands with proven performance:
Laticrete Australia
Mapei Australia

2 Kirkdale Street, Brunswick East Victoria 3057, Australia,
03 9457 7489 ABN: 28 639 735 569

Installation Guidelines

Fast-setting adhesives are often preferable, as they help minimise issues caused by moisture retention in certain stones. Some materials may require specialised adhesives to ensure a secure bond always check with the adhesive manufacturer for product-specific guidance suited to your stone type.

For light-coloured stones, use white adhesives to prevent any potential discolouration within the body of the stone. Where substrates are flexible such as timber floors use flexible adhesives and ensure the substrate is properly prepared.

For uncalibrated stone tiles, choose a large-format floor adhesive to accommodate variations in tile thickness. This will help achieve a level surface, especially when installing a mix of sizes within the same area.

Grouts

Grout plays an important role in maintaining your stone installation. It helps keep tiles securely in place, creates a watertight seal to reduce moisture penetration, and allows for natural expansion and contraction.

Always use a high-quality grout that suits both the stone type and the intended application.
Reliable grouting options include:

Laticrete Australia
Mapei Australia

For best results, consult a professional when selecting grout to ensure the right colour, suitability, and durability for your project.