



Tavertine Tile



Tavertine Tile

Formed by natural mineral springs, Travertine tiles exude warmth and authenticity. Their layered texture and earthy palette bring a lived-in sophistication to indoor and outdoor spaces alike. Whether vein-cut for linear movement or cross-cut for subtle variation, Travertine lends enduring character to contemporary and classic design schemes.




Tavertine Tile

Tiles:



Cobblestones:




For more downloadables visit our website.

Tavertine Tile


A




B





C



D




French Pattern




Bullnose



Bevelled




Dropface
(Mitre Cut&Glue)



Corner Dropface
One long and one short edge



Double Dropface
Two long edges



Triple Dropface
Two long and one short edges

For more downloadables visit our website.

Tavertine Tile

Stone type and finish	Available tile sizes
-----------------------	----------------------

Travertino Argento

Cross-cut, honed, unfilled, and tumbled

610 x 406 x 12mm
610 x 406 x 30mm
French pattern 12mm
French pattern 30mm
610 x 406 x 30 / 50mm Dropface
Random crazy paving, raw and old fashioned 20mm

Travertino Classico

Cross-cut, honed, unfilled, and tumbled

610 x 406 x 12mm
610 x 406 x 30mm
French pattern 12mm
French pattern 30mm
610 x 406 x 30 / 50mm Dropface
Random crazy paving 20mm
100 x 100 x 30mm
Baton

Travertino Sabbia

Cross-cut, honed, unfilled, and tumbled

610 x 406 x 12mm
610 x 406 x 30mm
610 x 406 x 30 / 50mm Dropface
French pattern 12mm
French Pattern Tumbled & Honed 30mm tile 10.00 160 16.0 \$79.00 m² \$79.00 m²

Travertino Lume

Vein-cut, unfilled and honed

610 x 305 x 12mm
610 x 406 x 12mm
812 x 406 x 30mm

Tavertine Tile

Stone type and finish

Available tile sizes

Travertino Oro

Vein-cut, filled, and honed

600 x 400 x 12mm
French pattern x 12mm
800 x 400 x 12mm

Travertino Lume

Cross-cut, honed, filled, and tumbled

610 x 305 x 12mm
610 x 406 x 12mm
610 x 610 x 12mm
French pattern x 12mm
610 x 406 x 12mm
610 x 406 x 20mm
French pattern x 20mm
610 x 406 x 20 / 50 mm Dropface
610 x 406 x 30mm Square edge
French pattern x 30mm
610 x 406 x 30 / 50mm Dropface
610 x 406 x 30mm Bullnose

Travertino Imperiale Silver

Vein-cut, honed, and filled

600 x 400 x 12mm
800 x 400 x 12mm

Travertino Romano Silver

Cross-cut, honed, filled, and tumbled

600 x 600 x 15mm
600 x 400 x 20mm
French pattern x 20mm
600 x 400 x 30mm
French pattern x 30mm
610 x 406 x 30/ 50mm Dropface
600 x 400 x 30mm Bullnose

Travertino Romano Silver

Vein-cut, filled, and honed

600 x 300 x 12mm
600 x 400 x 12mm
800 x 400 x 12mm

Tavertine Tile

Stone type and finish

Available tile sizes

Travertino Classico

Cross-cut, honed, filled, and tumbled

305 x 75 x 10mm
406 x 406 x 12mm
610 x 406 x 12mm
French pattern x 12mm
812 x 406 x 12mm
610 x 610 x 12mm
100 x 100 x 30mm
203 x 100 x 30mm
406 x 203 x 30mm
406 x 406 x 30mm
610 x 406 x 30mm
French Patternx30mm
610 x 610 x 30mm
610 x 406 x 30mm
610 x 406x 30/60mm Dropface
1220 x 406 x 30mm Pencil Edge
1220 x 406 x 30mm Bullnose

Travertino Romano Silver

Cross-cut, honed, filled, and tumbled

305 x 75 x 12mm
406 x 406 x 12mm
610 x 406 x 12mm
French pattern x 12mm
610 x 610 x 12mm
100 x 100 x 30mm Cobble
203 x 100 x 30 Cobble
406 x 406 x 30mm
610 x 406 x 30mm
French pattern x 30mm
610 x 610 x 30mm
610 x 406 x 30mm Bullnose
610 x 406 x 30 / 60mm Dropface
1220 x 406 x 30mm Pencil edge
1220 x 406 x 30mm Bullnose

Travertino Lume

Cross-cut, honed, filled, and tumbled

305 x 75 x 12mm
610 x 305 x 12mm
610 x 610 x 12mm
914x457x12mm

Tavertine Tile

Stone type and finish	Available tile sizes
-----------------------	----------------------

Travertino Classico

Cross-cut, honed, unfilled, and tumbled

- 610 x 406 x 12mm
- 610 x 610 x 12mm
- 610 x 406 x 30mm
- 610 x 406 x 20 / 60mm Dropface
- 610 x 406 x 30 / 60mm Dropface
- 406 x 406 x 30mm Square edge
- 610 x 406 x 30mm Square edge

Travertino Oro

Cross-cut, honed, unfilled, and tumbled

- 610 x 406 x 12mm
- Crazy paving x 20mm
- 610 x 406 x 30mm
- 610 x 406 x 20 / 60mm Dropface
- 610 x 406 x 30 / 60mm Dropface
- 610 x 406 x 30mm
- French pattern x 12mm

Installation Guidelines

Natural stone

These guidelines are general advice only and should be used with relevant Australian standards. They do not replace professional installation services.

Before installation

- Natural stone tiles may arrive slightly damp or with residue. Wash and let them dry fully slight lightening is normal and reveals natural tones.

- Lay tiles out to view markings and mix from all crates for even colour and pattern.

Minor edge chipping is normal and suitable for cuts.

- Grade tiles by thickness install thicker ones first and bed thinner ones with adhesive for a level finish. Size and thickness variations are part of the stone's character.

- Ensure tiles are clean, dry, and free of dust before laying. Confirm your installer is familiar with the product.

Please note:

Every piece of natural stone is unique. Variations in colour, texture, and surface finish including minor chipping are inherent and add to its individuality. Any tiles with excessive damage or irregularity should be set aside and reviewed before installation, as once installed they may not be covered by warranty.

Adhesion

For a lasting installation, all stone tiles must be solidly bedded with 100% adhesive coverage. During installation, tiles should be lifted occasionally to confirm full compaction and adhesion have been achieved.

We recommend using Mapei or Laticrete products for the installation process both are well-established brands with proven performance:

[Laticrete Australia](#)

[Mapei Australia](#)

Fast-setting adhesives are often preferable, as they help minimise issues caused by moisture retention in certain stones. Some materials may require specialised adhesives to ensure a secure bond always check with the adhesive manufacturer for product-specific guidance suited to your stone type.

For light-coloured stones, use white adhesives to prevent any potential discolouration within the body of the stone. Where substrates are flexible such as timber floors use flexible adhesives and ensure the substrate is properly prepared.

For uncalibrated stone tiles, choose a large-format floor adhesive to accommodate variations in tile thickness. This will help achieve a level surface, especially when installing a mix of sizes within the same area.

Grouts

Grout plays an important role in maintaining your stone installation. It helps keep tiles securely in place, creates a watertight seal to reduce moisture penetration, and allows for natural expansion and contraction.

Always use a high-quality grout that suits both the stone type and the intended application.

Reliable grouting options include:

[Laticrete Australia](#)

[Mapei Australia](#)

For best results, consult a professional when selecting grout to ensure the right colour, suitability, and durability for your project.