



Marble Tile



Marble Tile

Marble tiles are celebrated for their depth, luminosity, and elegance. Each piece reveals distinctive veining and tonal character, crafted over centuries by nature. From soft neutrals to dramatic contrasts, Marble enhances architectural detail and spatial flow - a symbol of refinement and permanence that elevates both modern and traditional interiors




Marble Tile

Tiles:






Cobblestones:




For more downloadables visit our website.

Marble Tile



French Pattern



For more downloadables visit our website.

Marble Tile

Stone type and finish

Available tile sizes

Grigio Perla

Sanblasted & Tumbled

610 x 406 x 12mm
610 x 406 x 30mm
610 x 406 x 30mm Bullnose
610 x 406 x 30 / 60mm Dropface

Grigio Tundra

Sandblasted

610 x 406 x 15mm
French Pattern x 15mm
610 x 406 x 30mm
610 x 406 x 30mm Bullnose
610 x 406 x 30 / 60mm Dropface

Grigio Atlantico

Sandblasted

610 x 406 x 12mm
French Pattern x 12mm
610 x 406 x 30mm
610 x 406 x 30mm Bullnose
610 x 406 x 30 / 60mm Dropface

Nero Elegante

Sandblasted & Brushed

610 x 406 x 12mm
610 x 406 x 30mm
610 x 406 x 30mm Bullnose
610 x 406 x 30 / 60mm Dropface

Sabbia Chiara

Sandblasted

610 x 406 x 12mm
610 x 406 x 30mm
610 x 406 x 30mm Bullnose

Capri Mare

Flamed & Tumbled

610 x 406 x 12mm
610 x 406 x 28mm
610 x 406 x 28mm Bullnose
610 x 406 x 28 / 60mm Dropface

Marble Tile

Stone type and finish

Available tile sizes

Crema Aurea

Sandblasted

610 x 406 x 12mm
610 x 406 x 30mm
610 x 406 x 30 / 60mm Dropface

Blu di Tundra

Sandblasted

610 x 406 x 30mm
610 x 406 x 30 / 60mm Dropface

Blu di Tundra

Honed

610 x 305 x 12mm
610 x 610 x 12mm
812 x 406 x 12mm
610 x 305 x 15mm
610 x 610 x 15mm
914 x 457 x 15mm

Blu di Tundra

Honed

610 x 406 x 20mm Paver
610 x 406 x 20 / 50 mm Dropface
610 x 406 x 30mm Paver
610 x 406 x 60 / 30mm Dropface

Nero di Tundra

Honed

610 x 305 x 12mm
610 x 610 x 12mm

Noctara Marble

Honed

600 x 400 x 12mm
600 x 600 x 12mm
800 x 400 x 12mm

Bianco Aurora

Honed

600 x 300 x 12mm
600 x 600 x 12mm
610 x 305 x 12mm
610 x 610 x 12mm

Blu di Tundra

Honed

305 x 75 x 15mm
610 x 305 x 15mm
610 x 610 x 15mm
914 x 457 x 15mm

Marble Tile

Stone type and finish

Available tile sizes

Crema Aurea

Honed

305 x 75 x 15mm
610 x 305 x 15mm
610 x 610 x 15mm
914 x 457 x 15mm

Celestra

Sandblasted

305 x 75 x 10mm
610 x 305 x 12mm
610 x 610 x 12mm
914 x 457 x 12mm

Luce Bianca

Sandblasted P5

600 x 400 x 20mm
600 x 400 x 30mm

Grigio Dorato

Sandblasted P5

300 x 75 x 12mm Honed, Herringbone
300 x 100 x 20mm Herringbone
600 x 400 x 20mm
600 x 400 x 30mm
800 x 400 x 20mm
800 x 400 x 30mm

Blu Notturmo

Sandblasted P5

600 x 400 x 20mm
600 x 400 x 30mm
800 x 400 x 20mm
800 x 400 x 30mm
Cobbles

Sierra Avorio

Sandblasted P5

600 x 400 x 20mm
600 x 400 x 30mm
Cobbles

Installation Guidelines

Natural stone

These guidelines are general advice only and should be used with relevant Australian standards. They do not replace professional installation services.

Before installation

- Natural stone tiles may arrive slightly damp or with residue. Wash and let them dry fully slight lightening is normal and reveals natural tones.

- Lay tiles out to view markings and mix from all crates for even colour and pattern.

Minor edge chipping is normal and suitable for cuts.

- Grade tiles by thickness install thicker ones first and bed thinner ones with adhesive for a level finish. Size and thickness variations are part of the stone's character.

- Ensure tiles are clean, dry, and free of dust before laying. Confirm your installer is familiar with the product.

Please note:

Every piece of natural stone is unique. Variations in colour, texture, and surface finish including minor chipping are inherent and add to its individuality. Any tiles with excessive damage or irregularity should be set aside and reviewed before installation, as once installed they may not be covered by warranty.

Adhesion

For a lasting installation, all stone tiles must be solidly bedded with 100% adhesive coverage. During installation, tiles should be lifted occasionally to confirm full compaction and adhesion have been achieved.

We recommend using Mapei or Laticrete products for the installation process both are well-established brands with proven performance:

[Laticrete Australia](#)

[Mapei Australia](#)

Fast-setting adhesives are often preferable, as they help minimise issues caused by moisture retention in certain stones. Some materials may require specialised adhesives to ensure a secure bond always check with the adhesive manufacturer for product-specific guidance suited to your stone type.

For light-coloured stones, use white adhesives to prevent any potential discolouration within the body of the stone. Where substrates are flexible such as timber floors use flexible adhesives and ensure the substrate is properly prepared.

For uncalibrated stone tiles, choose a large-format floor adhesive to accommodate variations in tile thickness. This will help achieve a level surface, especially when installing a mix of sizes within the same area.

Grouts

Grout plays an important role in maintaining your stone installation. It helps keep tiles securely in place, creates a watertight seal to reduce moisture penetration, and allows for natural expansion and contraction.

Always use a high-quality grout that suits both the stone type and the intended application.

Reliable grouting options include:

[Laticrete Australia](#)

[Mapei Australia](#)

For best results, consult a professional when selecting grout to ensure the right colour, suitability, and durability for your project.